# STAGES AND EVENTS



#### HOME CINEMA AND RESIDENTIAL

projection screens videoprojectors mounts flat screens mounts





#### PROFESSIONAL AND OFFICES

projection screens videoprojectors mounts flat screens mounts





#### STAGES AND EVENTS

projection screens cycloramas





#### **HOME CINEMA SEATS**

individual seats custom-made rows D-BOX Technology



# Our range of STAGES and EVENTS screens

ORAY COMPANY	p 4
ROLL-UP GFO Polichinelle Infiny	<b>p5</b> p6 p7 p8
FRAMES Cinevision I Cinevision II Special frames	p 9 p 10 p 11 p 12

CUSTOM-MADE FABRICS	p 13
Projection surfaces	p 14
Finishes	p 15
NOMADS	p 16
Nomaddict 1 and 2	p 17
Cin'Air	p 19
Butterfly mobile	p 20
Fly	p 21
Dragonfly, Cross Screen,	
Miniscreen	p 22



This catalogue is printed on paper from responsible sources and sustainably managed forests.



FIRE RESISTANT CLASSIFICATION Classification of the projection surface.



The screen can stop at several heights.



#### CUSTOMIZABLE

You can choose another projection surface or ask for a product adapted to your needs.



ULTRA SHORT THROW Model compatible with an Ultra Short Throw video projector



ADJUSTABLE HEIGHT



CASING COLOR RAL Other color maps on request, according to the references of RAL colour.



# QUALITY Know-how since 1947

The company ORAY, based south west of Paris, is dedicated to:

- The DESIGNING
- The MANUFACTURING
- The MARKETING

of projection screens and audiovisual accessories.

# TECHNOLOGY WATCH N°1 in France

The most exhaustive range
Through continuous search of new products and the wish to adapt as closely as possible to the technical developments of projection, the company is the number 1 in France in the industry of projection screens and is one of the leaders worldwide.

Keen to offer the best value for money on the whole range, ORAY takes special care of the choice of materials, the quality of the assembly and the innovative product designs.

# SUSTAINABLE DEVELOPMENT Eco-socio-conception

Social and environmental issues are a priority for ORAY. These commitments led the company to engage several actions in order to improve its global performance in a forward-looking business model:

- ECONOMICAL performance
- SOCIAL performance
- ENVIRONMENTAL performance



Large screens for non-standard and 100% made-to-measure projects above 5m width: giant formats, advanced technology, high-speed motorization, safety adapted to large rooms,...

# **GFO**

The **GFO** screens are the natural complement of Orion screens to equip high capacity conference rooms.

The GFO is easy to install and very compact.

The overall length of its housing is only 16,5 cm more than the image format.

- Casing with white epoxy finish.
- Screen fitted with the patented oller counterbalance mechanism to prevent bending.
- Safety brake certified DIN-EN-13241
- Motor power: 350 W
- Diameter of the mechanism: 15 cm
- Weighing bar diameter: 3.4 cm
- Ceiling mount in standard
- Can be recessed in ceiling with underface option
- Up to 8 m base



OPTION Underface for embedding




OPTION Barrel mount. Reference (The pair) PATPERGFO



Wall mount with or without offset



SUPPLIED AS STANDARD Ceiling mount



0 0 0 0 0 0 3.5





Quote on request according to your specs














- EASY INSTALLATION
- COMPACT
- ANTI-BENDING SYSTEM



# **POLICHINELLE**

The **POLICHINELLE** screens fits in the category of equipments for large auditoriums, conference centers and theatres.

They are custom made for all formats with an image base from 7 meters up to 20 meters and more.



Photo credit: Cinelec

- Roller tube in aluminium or carbon fiber for the largest sizes
- No arms in the lower part
- High rigidity
- Easy installation
- Voltage: 230V
- Power supply in the centre of the screen
- Security brake in case of power cut
- Can be mounted on a boom or suspended
- Stop-fall device in option







#### 2 possible motorisations:

Standard PDF



or High speed





Somfy transmitter and receiver included

#### The advantages of the HIGH SPEED version

- •The motor can work continuously without thermal cut-off
- Wattage: from 1 to 1.8 kW
- Rolling and unrolling speed: 0.5m/s
- Acceleration and deceleration are controlled to avoid coughs
- In case of power cut, end-stops are kept in memory
- Initial programming from a computer with saved data.
- End-stops are set at the installation site with a radio remote control.











- LIGHTWEIGHT
- VERY LARGE DIMENSIONS
- FLATNESS

# 

**Infiny** is a range of large and very large roll-up screens without limits except those of the room in which they are installed.

Its revolutionary ultra simple assembly requires almost no tools.

An anti-arrow device allows to guarantee perfect straightness of the tube to ensure an excellent flatness, even on giant screens.







Barrel mounting

Somfy transmitter and receiver included

# NEW

Its innovative design offers 3 possibilities adapted to the uses and installation constraints.

- 1. Delivered in 2m modules for easy handling in case of difficult access or for a mobile installation requiring frequent assembly and disassembly.
- 2. One-piece delivery of the pre-mounted and factory-adjusted screen. (only for formats under 13m)
- 3. Delivery in multiple pieces of long lengths if larger than 13 meters base.

Its 220V motorisation is equipped with 2 adjustable stroke ends. Standard mounting: clamps for 50mm pole











- VERY LARGE ELECTRIC SCREEN
- FABRIC FLATNESS SYSTEM



# **CINEVISION I**

**CINEVISION I** is designed for large projection surfaces and adaptable to all movie theaters, it will also suit large conference rooms, communication rooms, show rooms and auditoriums.



The projection surface is tensioned with eyelets at the back of the frame.



Quick suspension of the frame on its mounts and locking feature by 45° rotation

- Wall mount or suspended,
- Custom made,

Millau Museum

- Available in all dimensions,
- Can be mounted and dismounted as wished,
- Can be fixed at a distance from the wall with optional stand-off brackets.



Millau Museum

### CINEVISION 1



Requested information to make a quote:

- Type of projection surface
- Image format
- Mount type
- All details related to the installation

#### Quote on request according to your specs







- LIGHT WEIGHT
- LARGE SIZES



10

# **CINEVISION II**

- cinevision II is a screen with a revolutionary lacing of the fabric and black velvet frame for your large sizes.
- Shangri-La Hotel Beijing China
- Large aluminum profile for rigidity and masking of the fabric fixation.
- Tensioning device of the fabric easy to use.
- Wall mount or suspended,
- Custom made,
- Available in all dimensions,
- Black velvet frame width 21cm.



Aluminum frame covered with black velvet



Screen surface tensioning system.







Requested information to make a quote:


- Type of projection surface
- Image format
- Mount type
- All details related to the installation







- RIGIDITY
- AESTHETICS




# **SPECIAL FRAMES**

Simulators, event, we are at your disposal to study your wildest projects.



- Simulators,
- Amusement park,
- Event
- Museography.

We manufacture spherical, conical, circular (...), screens of any size.



3D Structure





Arched screen for simulator



Requested information to make a quote:

- Type of projection surface
- Image format
- Mount type
- All details related to the installation





# **CUSTOM-MADE FABRICS**

Projection surfaces

p14

Finishes

p15

Oray manufactures made-to-measure cyclos and special projection surfaces with a wide choice of finishes: eyelet, open hem, snap button, etc.







You'll find some of our projection surfaces in their woodsense version, made from up to 92% natural ingredients and 100% recyclable.

- Classified b-s1.d0
- Reduced carbon footprint

#### **FRONT PROJECTION**

- Matt white
- Black out Matt white
- Transonore
- Microperf'Oray
- Microperf'Oray HD 4K
- Special mother-of-pearl
- Metallic 3D
- Black contrast

#### **REAR PROJECTION**

- Translucent HC
- Translucent HG
- Translucent HD
- Translucent DF
- Translucent 3D

#### **ADHESIVE FILM**

- Window displays
- Digital signage
- Projection films
- Holographic ...

The widest and most specialised range of projection films on the market.







FINISHES



Snap button Snap buttons on white borders Eyelet Open hem

#### **CONFECTION and KNOW-HOW**

ORAY offers a wide range of confections for your made-to-measure projects : snap buttons, eyelets, open hems, round fabrics, etc.


#### WIDE-WIDTH HD PRINTING

ORAY customises your fabrics by printing them with a logo, text or image on part or all of the surface.





- CUSTOMIZED
- FINISHES



The **NOMADDICT 1** is the ideal screen for temporary installations.

It comes with a very light and durable ABS carrying case with wheels.

The **NOMADDICT 2** is suitable for larger sizes.



Suspension hook

#### NOMADDICT SUSPENSION HOOK

for Nomaddict 1	Hook reference
the unit	VLHOOK
Frame < 5m : 2 hooks Frame ≥ 5m : 3 hooks	
for Nomaddict 2	Hook reference
the unit	VXHOOK
3 hooks are required	

HINGE REPAIR KIT

Repair kit	Reference
for Nomaddict 1	VLREPAIRKIT
for Nomaddict 2	VXREPAIRKIT


# **NOMADDICT 1 AND 2**



# NOMADDICT 1 POF AND NOMADDICT 2 POF

				DUO : Translu	<b>cent</b> black borders	
Model	Image (cm)	Matt white	Matt white	+ Matt white	+ Matt white	
Nomaddict	Ht x Base	white borders	black borders	white borders	black borders	Flight-case (cm)
16:10 format						
Nomaddict 1	150 x 240	VL1B3150240	VL1B3150240N	VL1D1150240	VL1D1150240N	123 x 38 x 34
Nomaddict 1	183 x 293	VL1B3183293	VL1B3183293N	VL1D1183293	VL1D1183293N	123 x 38 x 34
Nomaddict 1	229 x 366	VL1B3229366	VL1B3229366N	VL1D1229366	VL1D1229366N	123 x 38 x 34
Nomaddict 1	244 x 390	VL1B3244390	VL1B3244390N	VL1D1244390	VL1D1244390N	123 x 38 x 34
Nomaddict 1	290 x 464	VL1B3290464	VL1B3290464N	VL1D1290464	VL1D1290464N	134 x 38 x 37
4:3 format						
Nomaddict 1	183 x 244	VL1B3183244	VL1B3183244N	VL1D1183244	VL1D1183244N	123 x 38 x 34
Nomaddict 1	229 x 305	VL1B3229305	VL1B3229305N	VL1D1229305	VL1D1229305N	123 x 38 x 34
Nomaddict 1	274 x 366	VL1B3274366	VL1B3274366N	VL1D1274366	VL1D1274366N	123 x 38 x 34
Nomaddict 1	320 x 427	VL1B3320427	VL1B3320427N	VL1D1320427	VL1D1320427N	123 x 38 x 34
Nomaddict 1	366 x 488	VL1B3366488	VL1B3366488N	VL1D1366488	VL1D1366488N	134 x 38 x 37
Nomaddict 2	457 x 610	VX1B3457610	VX1B3457610N	VX1D1457610	VX1D1457610N	134 x 38 x 37
Nomaddict 2	549 x 732	VX1B3549732	VX1B3549732N	VX1D1549732	VX1D1549732N	134 x 38 x 37
16:9 format						
Nomaddict 1	123 x 218	VL1B3123218	VL1B3123218N	VL1D1123218	VL1D1123218N	123 x 38 x 34
Nomaddict 1	150 x 266	VL1B3150266	VL1B3150266N	VL1D1150266	VL1D1150266N	123 x 38 x 34
Nomaddict 1	183 x 325	VL1B3183325	VL1B3183325N	VL1D1183325	VL1D1183325N	123 x 38 x 34
Nomaddict 1	206 x 366	VL1B3206366	VL1B3206366N	VL1D1206366	VL1D1206366N	123 x 38 x 34
Nomaddict 1	229 x 405	VL1B3229405	VL1B3229405N	VL1D1229405	VL1D1229405N	123 x 38 x 34
Nomaddict 1	274 x 488	VL1B3274488	VL1B3274488N	VL1D1274488	VL1D1274488N	123 x 38 x 34
Nomaddict 2	343 x 610	VX1B3343610	VX1B3343610N	VX1D1343610	VX1D1343610N	134 x 38 x 37
Nomaddict 2	411 x 732	VX1B3411732	VX1B3411732N	VX1D1411732	VX1D1411732N	134 x 38 x 37

• Matt white: a matt white surface with white or black edges.



For other surfaces, please contact us.



Foot of a Nomaddict 2

#### **NOMADDICT 1**

Its clipped hinges make it very easy to assemble. Projection surface is tensioned with snap buttons.

#### **NOMADDICT 2**

For more rigidity, the frame section is 2 times larger than the one of Nomaddict 1. It is composed of 2 foldable and nestable parts delivered in 2 flight-cases.





- TRANSPORTABLE
- LARGE DIMENSIONS

# FABRICS for NOMADDICT 1 and 2

#### **FABRIC ONLY**

Matt white fabric: White borders or black borders

Translucent fabric: Black borders



White borders



Black borders



Model Nomaddict	Image format Ht x Base (cm)	Matt white white borders	Matt white black borders	Translucent HG black borders
16:10 format FABF	RIC ONLY			
Nomaddict 1	150x240	VL2B3150240	VL2B3150240N	VL2T1150240
Nomaddict 1	183x293	VL2B3183293	VL2B3183293N	VL2T1183293
Nomaddict 1	229x366	VL2B3229366	VL2B3229366N	VL2T1229366
Nomaddict 1	244x390	VL2B3244390	VL2B3244390N	VL2T1244390
Nomaddict 1	290x464	VL2B3290464	VL2B3290464N	VL2T1290464
4:3 format FABR	CIC ONLY			
Nomaddict 1	183x244	VL2B3183244	VL2B3183244N	VL2T1183244
Nomaddict 1	229x305	VL2B3229305	VL2B3229305N	VL2T1229305
Nomaddict 1	274x366	VL2B3274366	VL2B3274366N	VL2T1274366
Nomaddict 1	320x427	VL2B3320427	VL2B3320427N	VL2T1320427
Nomaddict 1	366x488	VL2B3366488	VL2B3366488N	VL2T1366488
Nomaddict 2	457x610	VX2B3457610	VX2B3457610N	VX2T1457610
Nomaddict 2	549x732	VX2B3549732	VX2B3549732N	VX2T1549732
16:9 format FABRI	IC ONLY			
Nomaddict 1	123x218	VL2B3123218	VL2B3123218N	VL2T1123218
Nomaddict 1	150x266	VL2B3150266	VL2B3150266N	VL2T1150266
Nomaddict 1	183x325	VL2B3183325	VL2B3183325N	VL2T1183325
Nomaddict 1	206x366	VL2B3206366	VL2B3206366N	VL2T1206366
Nomaddict 1	229x405	VL2B3229405	VL2B3229405N	VL2T1229405
Nomaddict 1	274x488	VL2B3274488	VL2B3274488N	VL2T1274488
Nomaddict 2	343x610	VX2B3343610	VX2B3343610N	VX2T1343610
Nomaddict 2	411x732	VX2B3411732	VX2B3411732N	VX2T1411732

- The projection surface is attached to the frame with snap fasteners.
- Simple installation and adaptable to all configurations.



Projection surface in its cover



- FINISH
- REMOVABLE
- LIGHTWEIGHT

# CIN'AIR is an inflatable, waterproof and environmentally friendly screen. It is ideal for events and all ephemeral installations. Nomacic projection on the port of ta Rochelle Nomacic projection on the port of ta Rochelle

4 screen sizes

# CIN'AIR PDF

lmage Ht x Base	Matt white Ref.	Bottom Black part	Total dimensions
cm			cm
280 x 490	CAB1280490	90	410 x 570
390 x 700	CAB1390700	150	600 x 810
620 x 1100	CAB16201100	150	830 x 1200
790 x 1400	CAB17901400	220	1100 x 1500

Other projection surfaces, please contact us.

#### **INSTALLATION**

The inflation/deflation time is very fast, about 10 to 25 minutes depending on the inflator.

#### **OPTIONS**

- additional or more powerful inflator,
- different projection surfaces available according to your needs.

#### STORAGE


Once deflated, the structure fits in a very small space: only 2m3 for the largest size!



- NOMAD
- LARGE DIMENSIONS

# **BUTTERFLY MOBILE**

Ever more compact, the BUTTERFLY MOBILE is the fastest opening screen on the market. Ideal for rental or private use, up to 2m40 base.



- The case design, fully made in aluminum, offers an efficient protection of the screen while carrying it around.
- Lift the top bar to open it instantly, thanks to the pantograph mechanism.



Wheels at the ends



Carrying handle



Pantograph mechanism





Image forma Ht x Base (c		tt white ckout	14	Casin lengt	g h (cm)
4:3 format	2 cm b	lack bor	ders		
117 x 156	BU	T02B112	20160	18	0
132 x 176	BU	T02B113	35180	20	0
147 x 196	BU	T02B115	0200	22	2
177 x 236	BU	T02B118	30240	26	2
16:9 format	2 cm k	olack bo	rders	+ drop	
110 x 196	BU	T02B111	2200	22	2
133 x 236	BU	T02B113	35240	26	2
1:1 format	2 cm b	lack bor	ders		
196 v 196	RH	T02R120	າດວດດ	22	2






Large casing for 236cm base models

Small casing



- QUICK RELEASE
- WHEELS AT THE ENDS



Available in 2 versions:

- Fly Mono: Single front projection
- Green Fly: Green background for inlay

- The height is adjustable thanks to a telescopic upright and a tilting device ensures parallax compensation.
- A tensioning device has been specially designed to hold the screen surface taut and wrinkle free.
- The opaque projection surface bears black borders.
- Matt white screen gain: 1.1







Fly Mono

FLY MONO

Single side front projection, black aluminum case.

Image format Ht x Base (cm)	Matt white blackout	Casing length (cm)
16:10 format	2 cm black border	'S
97,5 x 156	FLY01B1100160	170
110 x 176	FLY01B1112180	190
122,5 x 196	FLY01B1125200	210

Green Fly



Green background for inlay, black aluminum case.

Image format Ht x Base (cm)	Green Fly	Casing length (cm)
Special format		
220 x 180	FLY01VV220180	190
220 x 200	FLY01VV220200	210





- DESIGN
- MULTI-FORMAT
- LIGHTWEIGHT

**FLY** 

# DRAGONFLY CROSS SCREEN MINISCREEN

The **DRAGONFLY** at the tip of innovation represents the entire know-how of ORAY in terms of mobile screens.

The MINISCREEN is a portable screen, ultra-light, very easy to use specially developed for Picoprojectors, to be placed on a table.

The **CROSS SCREEN** is an ultraportable screen that gets easily and guickly assembled and disassembled while offering a wide projection surface.



DRAGONFLY: Horizontal pantograph system





# MINISCREEN

Ultra lightweight portable screen, very simple to set. It is dedicated to pico projectors and can be placed on a table.

MINISCREEN Open feet

- The black anodized aluminum housing combines lightness and quality.
- The fabric is tensioned thanks to an upright placed at the back of the casing.
- Easy to open in few seconds for your presentations to a wide audience in any circumstance.

Image format Ht x Base (cm)	Black out Matt white Reference
4:3 format	2cm side borders
79 x 102	MIN01B1079102

## DRAGONFLY PDF



Multi-formats screen thanks to its pantograph system and horizontal opening.

- Easily carried around with its reinforced transport bag.
- Its 4-feet stand makes it very stable.
- The innovative horizontal opening offers a large screen that can fold back lengthwise, which reduces its bulkiness.

Image format Ht x Base (cm)	Black out Matt white Reference	
3 Formats in 1: 4:3,	16:10 and 16:9	
101 x 134/ 162 /180	DRA01B1101180	


#### CROSS SCREEN PDF



With its transport bag, the CrossScreen is particularly adapted to nomadic presentations. Installed in a few minutes:

- Easy and very quick to set up
- Adjustable in height
- Can be fixed to the wall

Image format Ht x Base (cm)	Black out Matt white Reference
16:9 format	
75 x 133	CS1B1075133
87 x 155	CS1B1087155
100 x 177	CS1B1100177
112 x 200	CS1B1112200



Dragonfly

Miniscreen

















